

Substitute for form 1449B/PTO		ATTORNEY DOCKET NO. 3637.1000-003	APPLICATION NO. 10/578,937
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION		FIRST NAMED INVENTOR Per Olaf Ekstrom	FILING DATE (371(c)) October 12, 2006
LISTING OF REFERENCES May 9, 2008 (Use several sheets if necessary)		EXAMINER Not assigned	CONFIRMATION NO. 2233
			GROUP 2861

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	REF. NO.	DOCUMENT NUMBER Number-Kind Code (if known)	ISSUE DATE / PUBLICATION DATE MM-DD-YYYY	NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT
	A2	6,989,085 B2	01-24-2006	Minarikova
	A3	6,902,657 B2	06-07-2005	Minarik, <i>et al.</i>
	A4	6,533,912 B2	03-18-2003	Mansfield, <i>et al.</i>

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

C8	Bjørheim, J., <i>et al.</i> , "Approach to Analysis of Single Nucleotide Polymorphisms by Automated Constant Denaturant Capillary Electrophoresis," <i>Mutation Research</i> , 526:75-93 (2003)
C9	Ekstrøm, P.O., <i>et al.</i> "Detection of Low-Frequency Mutations in Exon 8 of the TP53 Gene by Constant Denaturant Capillary Electrophoresis (CDCE)," <i>BioTechniques</i> , 27:128-135 (1999)
C10	Khrapko, K., <i>et al.</i> , "Constant Denaturant Capillary Electrophoresis (CDCE): a High Resolution Approach to Mutational Analysis," <i>Nucleic Acids Research</i> , 22:364-369 (1994)
C11	Kristensen, A.T., <i>et al.</i> , "Detection of Mutations in Exon 8 of TP53 by Temperature Gradient 96-Capillary Array Electrophoresis," <i>BioTechniques</i> , 33:650-653 (2002)
C12	Kristensen, A.T., <i>et al.</i> , "DNA Variants in the ATM Gene are not Associated with Sporadic Rectal Cancer in a Norwegian Population-Based Study," <i>Int. J. Colorectal Dis.</i> , 19:49-54 (2004)
C13	Schell, J., <i>et al.</i> , "Detection of Point Mutations by Capillary Electrophoresis with Temporal Temperature Gradients," <i>Electrophoresis</i> , 20:2864-2869 (1999)
C14	Ulvik, A., "Simultaneous Determination of Methylenetetrahydrofolate Reductase C677T and Factor V G1691A Genotypes by Mutagenically Separated PCR and Multiple-Injection Capillary Electrophoresis," <i>Clinical Chemistry</i> , 44:264-269 (1998)
C15	Ulvik, A., "C677T Mutation of Methylenetetrahydrofolate Reductase Gene Determined in Blood or Plasma by Multiple-Injection Capillary Electrophoresis and Laser-Induced Fluorescence Detection," <i>Clinical Chemistry</i> , 43:267-272 (1997)
C16	Zhu, L., <i>et al.</i> , "Spatial Temperature Gradient Capillary Electrophoresis for DNA Mutation Detection," <i>Eletrophoresis</i> , 22:3683-3687 (2001)

EXAMINER	DATE CONSIDERED
----------	-----------------

Substitute for form 1449B/PTO		ATTORNEY DOCKET NO. 3637.1000-003	APPLICATION NO. 10/578,937
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION		FIRST NAMED INVENTOR Per Olaf Ekstrom	FILING DATE (371(c)) October 12, 2006
LISTING OF REFERENCES May 9, 2008 (Use several sheets if necessary)		EXAMINER Not assigned	CONFIRMATION NO. 2233
			GROUP 2861

OTHER DOCUMENTS (<i>Including Author, Title, Date, Pertinent Pages, Etc.</i>)		
C17	Gao, Q. and E.S. Yeung, "A Matrix for DNA Separation: Genotyping Sequencing Using Poly(vinylpyrrolidone) Solution in Uncoated Capillaries," <i>Anal. Chem.</i> , 70:1382-1388 (1998)	
C18	Gao, Q. , and E.S. Yeung, "High-Throughput Detection of Unknown Mutations by Using Multiplexed Capillary Electrophoresis with Poly(vinylpyrrolidone) Solution," <i>Anal. Chem.</i> , 72:2499-2506 (2000)	

EXAMINER	DATE CONSIDERED
----------	-----------------